




75X65 Front Double Glass/Protective Screen - Flush




Front View



Side View



Top View




Model	(H) Height	(W) Width	(D) Depth	C1	C2	C3	Glass Opening	
							(GF) Front	(GS) Side
75X65	38 1/16"	34 5/16"	16 1/2"	6 7/16"	17 1/16"	10 3/4"	30 5/8" W X 25 9/16" H	—


* Dimensions includes 1/2" lip (for drywall)

- Note :
1. Drawings are not to Scale
 2. All dimensions in inches
 3. The dimensions are both for Double Glass and Protective Screen

75X65 Front Double Glass/Protective Screen - Flush



Model	A	B	C	D
75X65	22 ¹ / ₁₆ "	39 ⁹ / ₁₆ "	18 ⁵ / ₈ "	8 ³ / ₄ "




Note : 1. Drawings are not to Scale
2. All dimensions in inches
3. The dimensions are both for Double Glass and Protective Screen

LEGEND

- 5/8" Type X
- Steel
- Wood
- Glass
- Wood Studs
- Steel Studs


75X65 Front Double Glass/Protective Screen - Flush



View A

View B

Add Drywall nailer as needed maintain 2" clearance to any part of Fireplace



Top View

Clearance 2" from each side to non combustible material

The valve can be moved 36" - 40" from the center of the fireplace in any direction

- Note :
1. Drawings are not to Scale
 2. All dimensions in inches
 3. The dimensions are both for Double Glass and Protective Screen